



## About DUPIXENT

- DUPIXENT<sup>®</sup> (dupilumab) a prescription medicine used:
  - to treat people aged 12 years or older with **moderate-to-severe atopic dermatitis** (eczema) that is not well controlled with prescription therapies used on the skin (topical), or who cannot use topical therapies. It is not known if DUPIXENT is safe and effective in children with atopic dermatitis under 12 years of age.
  - with other asthma medicines for the maintenance treatment of **moderate-to-severe asthma** in people aged 12 years and older whose asthma is not controlled with their current asthma medicines. DUPIXENT is not used to treat sudden breathing problems. It is not known if DUPIXENT is safe and effective in children with asthma under 12 years of age.
- DUPIXENT is a therapeutic antibody that blocks the interleukin-4 (IL-4) and interleukin-13 (IL-13) signaling pathways, two proteins that contribute to underlying inflammation that may be present in moderate-to-severe atopic dermatitis and moderate-to-severe asthma.

## IMPORTANT SAFETY INFORMATION

**Do not use** if you are allergic to dupilumab or to any of the ingredients in DUPIXENT<sup>®</sup>.

Please see additional Important Safety Information on next page, full Indications on page 2, and click [here](#) for the full Prescribing Information. Patient information is available [here](#).

## The DUPIXENT<sup>®</sup> Patient Support Program: *DUPIXENT MyWay*<sup>®</sup>

### Overview of *DUPIXENT MyWay*

Regeneron and Sanofi are committed to helping ensure eligible patients receive access to DUPIXENT and helping to cover the cost of DUPIXENT.

*DUPIXENT MyWay* provides support and services throughout every step of the treatment process with DUPIXENT.

### Coverage Support

Coverage support is available for people who require assistance navigating the complex insurance process.

### Education and Personalized Nurse Support

A *DUPIXENT MyWay* Nurse Educator provides a dedicated, personalized approach, and is available to educate and empower patients to use DUPIXENT as prescribed. Registered nurses are also available to speak with patients about DUPIXENT 24/7.

### Patient and Co-pay Assistance

*DUPIXENT MyWay* helps eligible patients get access to therapy whether they are uninsured, lack coverage, or need assistance with their out-of-pocket costs. Co-pay support is available for people who have commercial insurance to help cover the cost of DUPIXENT. Full program terms are available at [DUPIXENT.com](http://DUPIXENT.com). A pharmacy locator is also available to show patients where their DUPIXENT prescription can be filled.

### Supplemental Injection Training

DUPIXENT comes in a single-dose (one-time use) pre-filled syringe, given as an injection under the skin (subcutaneously) into different injection sites. DUPIXENT may be given by a caregiver or self-administered. The *DUPIXENT MyWay* program offers supplemental injection training services, including registered nurses who are available upon request to help patients review the proper way to inject DUPIXENT, as instructed by their healthcare provider. If their healthcare provider decides that the patient or a caregiver can give the injections of DUPIXENT, they should receive training on the right way to prepare and inject DUPIXENT. Patients/caregivers should **not** try to inject DUPIXENT until they have been shown the right way by their healthcare provider. In adolescents 12 years of age and older, it is recommended that DUPIXENT be administered by or under supervision of an adult.

### Additional *DUPIXENT MyWay* Support Services

- FDA-cleared sharps disposal container shipped upon request for safe needle disposal.
- Additional tips and tools, such as disease education and product information materials.

For more information about DUPIXENT or *DUPIXENT MyWay*, please call 1-844-DUPIXENT (1-844-387-4936) or visit [www.DUPIXENT.com](http://www.DUPIXENT.com).

## Important Safety Information and Indication (cont'd)

Before using DUXIXENT, tell your healthcare provider about all your medical conditions, including if you:

- have eye problems (if you also have atopic dermatitis)
- have a parasitic (helminth) infection
- are taking oral, topical, or inhaled corticosteroid medicines. **Do not** stop taking your corticosteroid medicines unless instructed by your healthcare provider. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
- are scheduled to receive any vaccinations. You should not receive a "live vaccine" if you are treated with DUXIXENT.
- are pregnant or plan to become pregnant. It is not known whether DUXIXENT will harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known whether DUXIXENT passes into your breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements. If you are taking asthma medicines, do not change or stop your asthma medicine without talking to your healthcare provider.

**DUXIXENT can cause serious side effects, including:**

- **Allergic reactions (hypersensitivity), including a severe reaction known as anaphylaxis.** Stop using DUXIXENT and tell your healthcare provider or get emergency help right away if you get any of the following symptoms: breathing problems, fever, general ill feeling, swollen lymph nodes, swelling of the face, mouth and tongue, hives, itching, fainting, dizziness, feeling lightheaded (low blood pressure), joint pain, or skin rash.
- **Eye problems.** If you have atopic dermatitis, tell your healthcare provider if you have any new or worsening eye problems, including eye pain or changes in vision.
- **Inflammation in your blood vessels:** Rarely, this can happen in people with asthma who receive DUXIXENT. This may happen in people who also take a steroid medicine by mouth that is being stopped or the dose is being lowered. It is not known whether this is caused by DUXIXENT. Tell your healthcare provider right away if you have: rash, shortness of breath, persistent fever, chest pain, or a feeling of pins and needles or numbness of your arms or legs.

**The most common side effects include** injection site reactions, pain in the throat (oropharyngeal pain) and cold sores in your mouth or on your lips. Eye and eyelid inflammation, including redness, swelling and itching have been seen in patients who have atopic dermatitis.

Tell your healthcare provider if you have any side effect that bothers you or that does not go away. These are not all the possible side effects of DUXIXENT. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

Use DUXIXENT exactly as prescribed. DUXIXENT is an injection given under the skin (subcutaneous injection). If your healthcare provider decides that you or a caregiver can give DUXIXENT injections, you or your caregiver should receive training on the right way to prepare and inject DUXIXENT. **Do not** try to inject DUXIXENT until you have been shown the right way by your healthcare provider. In adolescents 12 years of age and older, it is recommended that DUXIXENT be administered by or under supervision of an adult.

### INDICATIONS

DUXIXENT is a prescription medicine used:

- to treat people 12 years of age and older with moderate-to-severe atopic dermatitis (eczema) that is not well controlled with prescription therapies used on the skin (topical), or who cannot use topical therapies. DUXIXENT can be used with or without topical corticosteroids. It is not known if DUXIXENT is safe and effective in children with atopic dermatitis under 12 years of age.
- with other asthma medicines for the **maintenance treatment of moderate-to-severe asthma** in people aged 12 years and older whose asthma is not controlled with their current asthma medicines. DUXIXENT helps prevent severe asthma attacks (exacerbations) and can improve your breathing. DUXIXENT may also help reduce the amount of oral corticosteroids you need while preventing severe asthma attacks and improving your breathing. DUXIXENT is not used to treat sudden breathing problems. It is not known if DUXIXENT is safe and effective in children with asthma under 12 years of age.